

AMENDMENTS TO THE CLAIMS

Please cancel claims 1 and 3-9 as follows:

Claim 1 (Cancelled).

Claim 2 (Original) A combination of a vinyl chloride-based resin molded article and a polyolefin-based resin molded article that are positioned in contact with or near to each other, said polyolefin-based resin molded article being made of a polyolefin-based resin composition comprising:

(A) 100 parts by mass of a polyolefin-based resin; and

(B) 0.01 to 5 parts by mass of a phenol-based antioxidant containing no aliphatic ester group and/or a sulfur-based antioxidant containing no aliphatic ester group.

Claims 3-9 (Cancelled).

Claim 10 (Original) The combination according to claim 2, wherein said vinyl chloride-based resin molded article is enclosed in said polyolefin-based resin molded article.

Claim 11 (Original) The combination according to claim 2, wherein said polyolefin-based resin molded article is enclosed in said vinyl chloride-based resin molded article.

Claim 12 (Original) The combination according to claim 2, wherein a layer made of said vinyl chloride-based resin molded article and a layer made of said polyolefin-based resin molded article are directly or indirectly laminated on each other.


Claim 13 (Original) The combination according to claim 2, wherein said polyolefin-based resin composition further comprises (C) a metal deactivator containing no aliphatic ester in an amount of 0.01 to 5 parts by mass based on 100 parts by mass of the polyolefin-based resin.

Claim 14 (Original) The combination according to claim 2, wherein said polyolefin-based resin composition further comprises (D) a metal hydrate and/or a metal hydroxide in an amount of 50 to 250 parts by mass based on 100 parts by mass of the polyolefin-based resin.


Claim 15 (Original) The combination according to claim 2, wherein said phenol-based antioxidant (B) is at least one compound selected from the group consisting of:

(i) 2,6-di-*t*-butyl-4-methyl phenol;

(ii) a compound represented by the general formula (I):



wherein X is a group represented by the general formula (II) with the proviso that the three X groups may be the same or different from each other:



wherein R1 and R4 are independently C₁ to C₈ alkyl and may be the same or different from each other; and R2, R3, R5 and R6 are independently hydrogen or C₁ to C₈ alkyl and may be the same or different from each other;

(iii) 1,3,5-trimethyl-2,4,6-tris(3,5-di-*t*-butyl-4-hydroxybenzyl)benzene;

(iv) tris(3,5-di-*t*-butyl-4-hydroxybenzyl)isocyanurate; and

(v) 4,4'-butylidenebis-(3-methyl-6-t-butylphenol).

Claim 16 (Original) The combination according to claim 13, wherein said metal deactivator (C) containing no aliphatic ester is 1,2-bis(3,5-di-t-butyl-4-hydroxyhydrocinnamoyl)hydrazine.

Claim 17 (Original) The combination according to claim 14, wherein said metal hydrate and/or said metal hydroxide (D) are magnesium hydroxide and/or aluminum hydroxide.

Claim 18 (Original) A combination of a vinyl chloride-based resin molded article and a polyolefin-based resin molded article that are positioned in contact with or near to each other, said polyolefin-based resin molded article being made of a polyolefin-based resin composition comprising 100 parts by mass of polypropylene; 0.01 to 3 parts by mass of 1,2-bis(3,5-di-t-butyl-4-hydroxyhydrocinnamoyl)hydrazine; and 0.01 to 5 parts by mass of at least one antioxidant selected from the group consisting of:

(i) 2,6-di-t-butyl-4-methyl phenol;

(ii) 1,1,3-tris{2-methyl-4-[3-(3,5-di-t-butyl-4-hydroxyphenyl)propionyloxy]-5-t-butylphenyl}butane;

(iii) 1,3,5-trimethyl-2,4,6-tris(3,5-di-t-butyl-4-hydroxybenzyl)benzene;

(iv) tris(3,5-di-t-butyl-4-hydroxybenzyl)isocyanurate; and

(v) 4,4'-butylidenebis-(3-methyl-6-t-butylphenol).

Claim 19 (Original) A combination of a vinyl chloride-based resin molded article and a polyolefin-based resin molded article that are positioned in contact with or near to each other, said polyolefin-based resin molded article being made of a polyolefin-based resin composition

comprising 100 parts by mass of polypropylene; 50 to 250 parts by mass of magnesium hydroxide; and 0.01 to 5 parts by mass of at least one antioxidant selected from the group consisting of:

- (i) 2,6-di-t-butyl-4-methyl phenol;
- (ii) 1,1,3-tris{2-methyl-4-[3-(3,5-di-t-butyl-4-hydroxyphenyl)propionyloxy]-5-t-butylphenyl}butane;
- (iii) 1,3,5-trimethyl-2,4,6-tris(3,5-di-t-butyl-4-hydroxybenzyl)benzene;
- (iv) tris(3,5-di-t-butyl-4-hydroxybenzyl)isocyanurate; and
- (v) 4,4'-butylidenebis-(3-methyl-6-t-butylphenol).